SILVER METAL SAFETY DATA SHEET

Teck

Preparer:

V6C 0B3

Teck Metals Ltd.

Suite 3300 - 550 Burrard Street

Vancouver, British Columbia

SECTION 1. IDENTIFICATION

Product Identity: Silver Metal.

Trade Names and Synonyms: Argentum; TADANAC® Silver; C.I. 77820.

Manufacturer:Supplier:Teck Metals Ltd.In U.S.:

Trail Operations Teck American Metal Sales

Trail, British Columbia Incorporated

V1R 4L8 501 North Riverpoint Blvd, Suite 300

Emergency Telephone: 250-364-4214 Spokane, WA USA, 99202

Other than U.S.: Teck Metals Ltd.

#600-100 Wellington Street West

Toronto, Ontario M5H 4C7

Date of Last Review: December 14, 2022.

Date of Last Edit: January 18, 2024.

Product Use: Silver is used in the manufacture of photographic film, coins, electronics, tableware, mirrors, jewelry, ornaments, special batteries, vessels and equipment used to manufacture medicinal chemicals, process foods and beverages, and handle organic acids; for electroplating; as a catalyst in hydrogenation and oxidation processes, and as an ingredient in dental alloys.

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulation SOR/2015-17 and this SDS contains all the information required by both the HPR and the OSHA Hazard Communication Standard of 2012 (29 CFR Part 1910.1200(g) and Appendix D)

SECTION 2. HAZARDS IDENTIFICATION

CLASSIFICATION:

NOTE: In the form in which it is sold this product is not regulated as a Hazardous Product in the U.S. or Canada. This Safety Data Sheet is provided for information purposes only.

Healtl	h	Physical	Environmental
Acute Toxicity (Oral, Inhalation)	 Does not meet criteria 	Does not meet criteria for	Aquatic Toxicity –
Skin Corrosion/Irritation	 Does not meet criteria 	any Physical Hazard	Long Term (Chronic)
Eye Damage/Eye Irritation	 Does not meet criteria 		Category 4
Respiratory or Skin Sensitization	 Does not meet criteria 		
Mutagenicity	 Does not meet criteria 		
Carcinogenicity	 Does not meet criteria 		
Reproductive Toxicity	 Does not meet criteria 		
Specific Target Organ Toxicity:			
Acute Exposure	 Does not meet criteria 		
Chronic Exposure	 Does not meet criteria 		

LABEL:

Symbols:	Signal Word:	
None Required	None Required	
Hazard Statements	Precautionary Statements:	
May cause long lasting harmful effects to aquatic life.	Avoid release to the environment.	

Emergency Overview: A lustrous white metal that does not burn in bulkand melts only at high temperatures, above 900°C.. This product is relatively non-toxic and poses little immediate hazard to the health of emergency response personnel or to the environment in an emergency situation.

Potential Health Effects: Metallic silver is relatively non-toxic to humans. This product may cause mild local irritation to eyes, nose, throat and upper airways, particularly if the product is heated to the point of fuming. Prolonged exposure to silver dust or fume may cause a bluish or grayish pigmentation to the skin, eyes and mucous membranes. Silver is not listed as a carcinogen by OSHA, NTP, IARC, ACGIH or the EU (see Toxicological Information, Section 11).

Potential Environmental Effects: In the form in which this product is sold, it has low bioavailability and does not pose any significant environmental risks. Releases of the product to water and soil should, nevertheless, be prevented as silver ions can be toxic in the aquatic environment (see Ecological Information, Section 12).

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS Registry No.	CONCENTRATION (% wt/wt)
Silver	7440-22-4	99.99%

Note: See Section 8 for Occupational Exposure Guidelines.

SECTION 4. FIRST AID MEASURES

Eye Contact: Symptoms: Mild irritation, redness. Do not allow victim to rub eye(s). Let the eye(s) water naturally for a few minutes. If particle/dust does not dislodge, flush with lukewarm, gently flowing water for 5 minutes or until particle/dust is removed, while holding eyelid(s) open. If irritation persists, obtain medical attention. DO NOT attempt to manually remove anything stuck to the eye.

Skin Contact: *Symptoms:* Soiling of skin. Dust: No health effects expected. If irritation does occur, wash with lukewarm, gently flowing water and mild soap for 5 minutes or until the product is removed. If skin irritation persists or if you feel unwell, obtain medical advice. Molten Metal: Flush contact area to solidify and cool but do not attempt to remove encrusted material or clothing. Cover burns and seek medical attention immediately.

Inhalation: Symptoms: Coughing and irritation in heavy fume or dust clouds. If symptoms are experienced remove source of contamination or move victim to fresh air. Get medical advice/attention if you feel unwell or are concerned.

Ingestion: Symptoms: Stomach upset, nausea, vomiting. If swallowed, no specific intervention is indicated as this material is not likely to be hazardous by ingestion. However, if irritation or discomfort occurs, obtain medical advice.

SECTION 5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Massive metal is not combustible. Finely divided silver metal dust or powder could not be ignited in contact with a hot flame. However explosions may occur upon contact with certain incompatible materials (see Stability and Reactivity, Section 10).

Extinguishing Media: Use any means of extinction appropriate for surrounding fire conditions such as water spray, carbon dioxide, dry chemical, or foam. Do not use direct water streams on fires where molten metal is present.

Fire Fighting: Fire fighters should be fully trained and wear full protective clothing including an approved, self-contained breathing apparatus which supplies a positive air pressure within a full face-piece mask.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Procedures for Cleanup: Control source of spillage if possible to do so safely. Clean up spilled material immediately, observing precautions in Section 8, Personal Protection. Molten metal should be allowed to cool and harden before cleanup. Once solidified wear gloves, pick up and return to process. Powder or dust should be cleaned up by carefully sweeping. Return uncontaminated spilled material to the process if possible. Place contaminated material in clean, dry, suitably labelled containers for later recovery in view of the economic value of silver. Treat or dispose of waste material in accordance with all local, regional, and national requirements.

Personal Precautions: Protective clothing, gloves, and a respirator are recommended for persons responding to an accidental release, especially of molten silver metal. Close-fitting safety goggles may be necessary in some circumstances to prevent eye contact with dust or fume. Where molten metal is involved, heat-resistant gloves and suitable clothing for protection from hotmetal splash should be worn.

Environmental Precautions: Silver metal has relatively low bioavailability and is not considered to pose immediate ecological risks. However, good management practices should always be applied in the storage and use of silver and its compounds as silver ions are known to have biocidal properties. Releases of the product to water and soil should be prevented.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling: Solid metal suspected of containing moisture should be THOROUGHLY DRIED before being added to a molten bath. Otherwise, entrained moisture could expand explosively and spatter molten metal out of the bath.

Conditions for Safe Storage: Store silver in a well secured, covered area away from incompatible materials. No special packaging materials are required.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Guidelines: (Time-Weighted Average (TWA) concentration over 8 hr unless otherwise indicated)

 Component
 ACGIH TLV
 OSHA PEL
 NIOSH REL

 Silver
 0.1 mg/m³
 0.01 mg/m³
 0.01 mg/m³

NOTE: OEGs for individual jurisdictions may differ from those given above. Check with local authorities for the applicable OEGs in your iurisdiction.

ACGIH - American Conference of Governmental Industrial Hygienists; OSHA - Occupational Safety and Health Administration; NIOSH - National Institute for Occupational Safety and Health. TLV – Threshold Limit Value, PEL – Permissible Exposure Limit, REL – Recommended Exposure Limit.

NOTE: The selection of the necessary level of engineering controls and personal protective equipment will vary depending upon the conditions of use and the potential for exposure. The following are therefore only general guidelines that may not fit all circumstances. Control measures to consider include:

Ventilation: Use adequate local or general ventilation to maintain the concentration of silver fumes in the working environment well below recommended occupational exposure limits. Supply sufficient replacement air to make up for air removed by the exhaust system. Local exhaust is recommended for melting, casting, grinding and polishing, etching, or use of powders.

Protective Clothing: Gloves and coveralls or other work clothing are recommended to prevent prolonged or repeated direct skin contact when silver is processed. Appropriate eye protection should be worn where fume or dust is generated. Where hot or molten metal is handled, heat-resistant gloves, goggles or face-shield, and clothing to protect from hot metal splash should be worn. Safety type boots are recommended.

Respirators: Where silver dust or fumes are generated and cannot be controlled to within acceptable levels by engineering means, use appropriate NIOSH-approved respiratory protection equipment (a 42CFR84 Class N, R or P-95 particulate filter cartridge or better).

General Hygiene Considerations: Always practice good personal hygiene. Refrain from eating, drinking, or smoking in work areas. Thoroughly wash hands before eating, drinking, or smoking in appropriate, designated areas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Odour: Odour Threshold: pH:

Ductile lustrous white metal None Not Applicable Not Applicable

Vapour Pressure: Vapour Density: Melting Point/Range: Boiling Point/Range:

Negligible @ 20°C Not Applicable 961°C 2212°C

Relative Density (Water = 1): Evaporation Rate: Coefficient of Water/Oil Solubility: Not Applicable Distribution: Not Applicable Insoluble in water

Flammable Limits (LEL/UEL): Auto-ignition Temperature: Decomposition Temperature:

Non-combustible solid. Not Applicable. Not Applicable. Not Applicable.

NOTE: Flash point and viscosity are not relevant physical properties of this product and therefore have not been included above.

SECTION 10. STABILITY AND REACTIVITY

Stability & Reactivity: Massive metal is stable and not considered reactive under normal temperatures and pressures. Hazardous polymerization or runaway reactions will not occur. Ozone, sulphur, and hydrogen sulphide blacken silver. Most silver salts are light sensitive.

Incompatibilities: Silver reacts with acetylene, acetylene compounds and ammonia to form explosive and shock sensitive compounds. Contact with strong hydrogen peroxide solutions will cause violent decomposition of the peroxide, releasing oxygen

gas and increasing the fire and explosion potential. Silver is incompatible with bromine azide, chlorine trifluoride, iodoform, hydrogen peroxide and other peroxides, ethyleneimine, oxalic and tartaric acids and with nitric acid in the presence of ethanol.

Hazardous Decomposition Products: High temperature operations such as oxyacetylene cutting, electric arc welding or overheating a molten bath will generate silver oxide fume. The particle size of metal fumes is largely within the respirable size range, which increases the likelihood of inhalation and deposition of the fume within the body.

SECTION 11. TOXICOLOGICAL INFORMATION

General: The simple handling and non-thermal processing of silver metal does not present any significant health hazards to workers. The primary route of exposure would be through the overheating and fuming of silver in thermal processing operations. Repeated long-term exposure to silver dust can cause permanent blue-grey staining of eyes, nose, mouth, throat, and skin.

Acute

Skin/Eye: Direct contact may cause mild local skin or eye irritation. There have been limited reports of allergic contact dermatitis following exposure to powdered silver, silver solutions, and dental amalgams.

Inhalation: Inhalation of silver fume or dust may be irritating to mucous membranes and the upper respiratory tract. Extremely high exposures to silver oxide fume have caused lung damage with pulmonary edema.

Ingestion: Ingestion of silver metal is unlikely to cause any significant health effects. Ingestion of silver compounds may cause irritation of the stomach. However, ingestion is not a typical route of occupational exposure.

Chronic

Prolonged exposure to silver dust may cause a bluish or greyish pigmentation to the skin, eyes and mucous membranes. This occurs slowly and may take years to develop. Once present, it does not go away and, in the most severe cases, may be quite disfiguring but is not considered to be a toxic effect and does not lead to any other organ damage. Silver is not listed as a human carcinogen by the Occupational Safety and Health Administration (OSHA), the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the American Conference of Governmental Industrial Hygienists (ACGIH) or the European Union (EU).

Animal Toxicity:

Ingredient:	Acute Oral Toxicity:	Acute Dermal Toxicity:	Acute Inhalation Toxicity:
Silver	>5,000 mg/kg [†]	>2,000 mg/kg*	>5.16 mg/L [‡]
	† LD ₅₀ , Rat,Oral,	* LD ₅₀ , Rat, Dermal	[‡] LC ₅₀ , Rat, Inhalation, 4 hour

SECTION 12. ECOLOGICAL INFORMATION

Silver metal is essentially insoluble, and therefore poses minimal ecological risks. However, its processing, use or extended exposure in aquatic and terrestrial environments may result in some conversion of the metal to more bioavailable forms. In particular, ionic silver and silver compounds can be highly toxic to aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

In view of the economic value of silver metal, every effort should be made to recover and reuse all spilled material. If material cannot be returned to the process or recovered for its economic value, dispose of only in accordance with applicable regulations. It is the responsibility of the waste generator to determine the toxicity and physical properties of any waste material generated in order to determine the proper waste classification and disposal methods.

SECTION 14. TRANSPORT INFORMATION

No special shipping or transportation requirements.

SECTION 15. REGULATORY INFORMATION

U.S. Listed on TSCA Inventory	Yes
Hazardous Under Hazard Communication Standard	No

SECTION 16. OTHER INFORMATION

Date of Original Issue: December 3, 1998 Version: 01 (First edition)

Date of Latest Revision: December 14, 2022 Version: 15

The information in this Safety Data Sheet is based on the following references:

- American Conference of Governmental Industrial Hygienists, 2004, Documentation of the Threshold Limit Values and Biological Indices, 7th Edition plus updates.
- American Conference of Governmental Industrial Hygienists, Guide to Occupational Exposure Values 2022.
- American Conference of Governmental Industrial Hygienists, 2021, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices.
- Bretherick's Handbook of Reactive Chemical Hazards, 20th Anniversary Edition. (P. G. Urben Ed.) 1995.
- Canadian Centre for Occupational Health and Safety (CCOHS) CHEMINFO Chemical Substance Data Base.
- Commission de la santé et la sécurité du travail, Service du Répertoire toxicologique, Argent Métal.
- European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, amending and repealing directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH).
- European Chemical Agency (ECHA) Registered Substances Database Silver (accessed 14/12/2022)
- Health Canada, SOR/2015-17, Hazardous Products Regulations, 11 February 2015.
- Institute for Occupational Safety & Health of the German Social Accident Insurance (IFA) GESTIS Substance Database
- Merck & Co., Inc., 2001, The Merck Index, An Encyclopedia of Chemicals, Drugs, and Biologicals, 13th Edition.
- National Library of Medicine, National Toxicology Information Program, Hazardous Substance Data Bank (on-line version).
- Patty's Toxicology, 5th Edition, 2001: E. Bingham, B. Cohrssen & C.H. Powell, Ed.
- U.S. Dept. of Health and Human Services, National Institute for Occupational Safety and Health, NIOSH Pocket Guide to Chemical Hazards (on-line version).
- U.S. Dept. of Health and Human Services, National Institute for Occupational Safety and Health, Registry of Toxic Effects of Chemical Substances (RTECS)
- U.S. EPA, Prevention, Pesticides, & Toxic Substances, Reregistration Eligibility Decision (RED) for Silver, Revised July 1993.
- U.S. Occupational Safety and Health Administration, 1989, Code of Federal Regulations, Title 29, Part 1910.100 & 1910.1200

Acronyms not spelled out elsewhere in the SDS:

CAS: Chemical Abstracts Service

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transport

EPCRA: Emergency Planning and Community Right-to-Know Act

IMO: International Maritime Organization

LD₅₀ LC₅₀: Lethal Dose 50%, Lethal Concentration 50%

TSCA: Toxic Substances Control Act

Wt.: Weight

Notice to Reader

Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. Teck American Metal Sales Incorporated and Teck Metals Ltd. extend no warranty and assume no responsibility for the accuracy of the content and expressly disclaim all liability for reliance thereon. This safety data sheet provides guidelines for the safe handling and processing of this product; it does not and cannot advise on all possible situations. Therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.